

MODEL: HRU-05525

2.4/5 GHz, dual-band omni-directional indoor rubber duck antenna



Features and Benefits:

- Small size for easy installation
- Lightweight for portable deployment
- Tilt and swivel design
- Flexible installation
- RP-SMA-type (male) connector

Shenzhen Hurryup Technology Co., Ltd.

Add.: Room 15F, Block B, Huaqiang Plaza, Huaqiang North Road, Futian District, Shenzhen, Guangdong, China.

<http://www.hurryup.com.cn/>

Specifications:

Frequency	2.4 to 2.5, 5.2 to 5.8 GHz
Antenna Type	Omni-directional
Typical Antenna Gain	2/2dBi
Connector	RP-SMA (male)
Impedance	50 ohms
Polarization	Vertical
HPBW/Horizontal	360°
HPBW/Vertical	80°
V.S.W.R.	2:1max.
Weight	10g(0.02lb)
Length	108mm (4.25in)
Radome Color	Black
Radome Material	Plastic
Installation	Straightmount
Operating Temperature	-40 to 80°C (-40 to 176°F)
Storage Temperature (package included)	-40 to 80°C(-40 to 176°F)
Ambient Relative Humidity	5 to 95% (30°C, non-condensing)


Shenzhen Hurryup Technology Co., Ltd.

Add.: Room 15F, Block B, Huaqiang Plaza, Huaqiang North Road, Futian District, Shenzhen, Guangdong, China.

<http://www.hurryup.com.cn/>

Dimensions

Unit: mm



Shenzhen Hurryup Technology Co., Ltd.

Add.: Room 15F, Block B, Huaqiang Plaza, Huaqiang North Road, Futian District, Shenzhen, Guangdong, China.

<http://www.hurryup.com.cn/>